



CHEVROLET MOTOR DIVISION
 General Motors Corporation
 Chevrolet Service Department



Chevrolet Dealer Service Information Bulletin

67-I-8
 Number:
 XII
 Section:
 March 23, 1967
 Date:

Subject: SPEEDOMETER GEAR SPECIFICATIONS -
 1967 PASSENGER CARS

Attn: Service Manager

To: ALL CHEVROLET DEALERS

Attached is the 1967 Passenger Car Speedometer Gear Chart. This chart is designed to be used as a ready reference to determine the speedometer gear combinations for each particular ratio and tire size.

New tire designs and sizes, and new axle ratios have increased the number of gear and adapter combinations required for all drive trains.

For each transmission application, the axle ratio and tire size are shown on the vertical and horizontal axis. From these specifications, the gear code can be determined. The applicable gears are shown in the second chart with their code.

Chevrolet Motor Division
 General Motors Corporation

c: Dealer List
 Chevrolet List

Important That All Service Personnel Read--Please Initial

Service Manager		Shop Foreman		Service Salesman			Service Technicians					

1967 PASSENGER SPEEDOMETER GEAR CHART

GEAR DESIGNATIONS - SEE NEXT PAGE
 CAPITAL LETTER - DRIVE GEAR
 (SMALL LETTER) - ADAPTER (WHERE REQUIRED)
 NUMBER - DRIVEN GEAR

EXCEPTIONS

TIRE SIZE	3-Sp., Powerglide, 4-Sp., Overdrive, 3-Sp. H.D.											Hydra-matic				EXCEPTIONS						
	AXLE RATIOS											AXLE RATIOS				4-Speed (Camaro)						
	2.73	3.07	3.08	3.31	3.36	3.55	3.70	3.73	4.10	4.56	4.89	2.56	2.73	3.07	3.31	3.73	3.70	4.11	4.56	4.10	4.56	4.89
6.95-14	3B	3A	3A	5C	5C	6C	7C	7C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.35-14	3B	3A	3A	4A	4A	6C	7C	7C	5C(a)	7C(a)	8C(b)	-	15F	20F	-	-	7C	-	-	-	-	-
D70-14	3B	3A	3A	4A	5C	6C	-	7C	5C(a)	7C(a)	8C(b)	-	15F	20F	-	-	-	-	-	5C(c)	6C(d)	7C(d)
7.75-14	2B	2A	2A	3A	4A	5C	6C	6C	8C	7C(a)	8C(a)	12F	13F	18F	21F	21F	6C	-	-	-	-	-
F70-14	3B	2A	2A	4A	4A	5C	6C	6C	8C	7C(a)	8C(a)	12F	14F	19F	17E	-	6C	-	-	-	-	-
8.25-14	2B	2A	2A	3A	3A	5C	5C	6C	8C	6C(a)	8C(a)	-	13F	18F	21F	-	5C	-	-	-	-	-
8.55-14	1B	1A	1A	3A	3A	4A	5C	5C	7C	6C(a)	7C(a)	-	13F	17F	21F	-	5C	-	-	-	-	-
7.35-15	-	2A	-	3A	-	5C	-	6C	-	-	-	-	-	-	-	-	-	-	8C	5C(d)	8C(e)	-
7.75-15	2B	2A	2A	3A	3A	5C	5C	6C	8C	6C(a)	8C(a)	-	13F	18F	21F	-	-	8C	10D	-	-	-
8.15-15	1B	1A	1A	3A	3A	4A	5C	5C	7C	5C(a)	7C(a)	-	13F	17F	21F	-	-	-	-	-	-	-
8.45-15	1B	1A	1A	2A	3A	4A	4A	5C	7C	5C(a)	7C(a)	-	12F	17F	19F	-	5C	-	-	-	-	-
G70-15	2B	2A	2A	3A	3A	5C	5C	6C	8C	6C(a)	8C(a)	11F	13F	18F	21F	-	5C	-	-	-	-	-

DRIVEN GEAR

DRIVEN GEAR CODE	PART NUMBER	COLOR CODE	NUMBER OF TEETH	APPLICABLE SLEEVE ASSEMBLIES
1	3860341	Brown	18	
2	3860342	Natural	19	
3	3860343	Blue	20	
4	3860344	Red	21	3869912 4-Speed Muncie
5	3860345	Green	22	3869914 (All Others)
6	3860346	Black	23	
7	3860347	Yellow	24	
8	3860348	Orange	25	
9	3860329	Yellow	20	3869914
10	3860033	None	21	
11	9780628	Pink	35	
12	1359270	White	36	
13	1359271	Red	37	1485025
14	1359272	Blue	38	
15	1359273	Brown	39	
16	1362048	Black	40	
17	1362195	Yellow	41	
18	1362049	Green	42	1485026
19	1362196	Purple	43	
20	9780470	Gray	44	
21	9775187	Lt. Blue	45	
DRIVE GEAR CODE	PART NUMBER	NUMBER OF TEETH		
A	3708144	8		
B	3905494	9		
C	3708145	8		
D	3845079	6		
E	8623311	16		
F	8623313	18		
ADAPTER CODE	PART NUMBER	GEAR RATIO		
(a)	3890575	.832		
(b)	3905497	.800		
* (c)	6476735	.8235		
* (d)	6476736	.7778		

DRIVE GEAR

ADAPTER

* Parts not available at time of bulletin publication.